

	L #	Hits	Search Text
1	L1	5701	(os operating adj system) and boot\$5
2	L3	1298	1 and (network lan ethernet token adj ring) and download\$3
3	L4	56	1 and 3 and shared and shadow
4	L5	832	709/221
5	L6	1	4 and 5
6	L7	169	subsequen\$3 near boot\$3
7	L8	17250	709/\$\$\$
8	L9	28	7 and 8
9	L11	5	netboot\$3 net adj boot\$3
10	L12	21	9 and 1
11	L13	21	7 and 12
12	L14	980	(server client host remote\$2) with (operating adj system op) with (multiple multi different)
13	L15	14	(server client host remote\$2) with (operating adj system op) with (multiple multi different) with volumes
14	L19	16	18 and (client server network lan ethernet token adj ring) and (boot\$5 restart initia\$4)
15	L18	29	(operating adj system op software) with (multiple multi different) adj3 volumes
16	L20	66	boot adj image
17	L21	964	(operating adj system op software) with (multiple multi different new) adj3 (volume version)
18	L22	8	20 and 21
19	L23	930	(server remote\$2 host) with (multiple multi different new) adj3 (volume version software)
20	L24	1133	(client local\$2 host) with (boot\$5 restart initia\$4) with (volume version software)
21	L25	120	23 and 24
22	L26	67	23 and 24 and client and server
23	L27	21	26 and (boot\$3 bootstrap\$4 boot adj image)
24	L29	12277	(operating adj system op software) near3 (alter\$3 modif\$4 edit\$3 customiz\$5 chang\$3)

	L #	Hits	Search Text
25	L30	16	27 and 29
26	L31	1149	(client local\$2 host) with (boot\$5 restart initia\$4) with (volumes versions softwares)
27	L32	16	30 and 31

	L #	Hits	Search Text
1	L27	7443	(replac\$3 overrid\$4 overwrit\$4 substitut\$3) with (software operat\$3 adj system)
2	L28	256	(replac\$3 overrid\$4 overwrit\$4 substitut\$3) with (software operat\$3 adj system).ab.
3	L29	7	((replac\$3 overrid\$4 overwrit\$4 substitut\$3) with (software operat\$3 adj system) same (client user subscriber customer) same server).ab.
4	L30	77	((replac\$3 overrid\$4 overwrit\$4 substitut\$3 swap\$4) with (software operat\$3 adj system OS)).ab. and (client user subscriber customer) same server
5	L31	69	((replac\$3 substitut\$3 swap\$4) with (software operat\$3 adj system OS)).ab. and (client user subscriber customer) same server
6	L32	1	31 and system adj volume
7	L33	35	31 and volume
8	L34	93	(replac\$3 substitut\$3 swap\$4) with (software operat\$3 adj system OS) with (client user subscriber customer) with (host server)
9	L35	4	(replac\$3 substitut\$3 swap\$4) with (software operat\$3 adj system OS) with (client user subscriber customer) with (host server) with (reset\$3 boot\$3 restart\$3 initia\$4)
10	L36	13	(replac\$3 substitut\$3 swap\$4) with (software operat\$3 adj system OS) with (host server) with (reset\$3 reboot\$3 boot\$3 restart\$3 initia\$4)

	Hits	Search Text
1	314	select\$3 with download\$3 with software
2	10	(select\$3 with download\$3 with software).ab.
3	414	(set\$3 program\$4 subsequen\$4 select\$3 control manag\$6) adj10 download\$3 adj5 (os operating adj system software)
4	6	((select\$3 with download\$3 with software).ab.) ((select\$3 with download\$3 with (os operating adj system software)).ab.)) and ((set\$3 program\$4 subsequen\$4 select\$3 control manag\$6) adj10 download\$3 adj5 (os operating adj system software))
5	11	(select\$3 with download\$3 with (os operating adj system software)).ab.
6	89	((set\$3 program\$4 subsequen\$4 select\$3 control manag\$6) adj10 download\$3 adj5 (os operating adj system software)) and client same server
7	63	((set\$3 program\$4 subsequen\$4 select\$3 control manag\$6) adj10 download\$3 adj5 (os operating adj system software)) and (plurality multiple different) adj (softwares os operating adj systems volumes)
8	57	((set\$3 program\$4 subsequen\$4 select\$3 control manag\$6) adj10 download\$3 adj5 (os operating adj system software)) and (plurality multiple different) adj (softwares os operating adj systems volumes)) and ("1999" "1998" "1997" "1996" "1995" "1994" "1993" "1992" "1991" "1990").ay.
9	46	((set\$3 program\$4 subsequen\$4 select\$3 control manag\$6) adj10 download\$3 adj5 (os operating adj system software)) and (plurality multiple different) adj (softwares os operating adj systems volumes)) and ("1999" "1998" "1997" "1996" "1995" "1994" "1993" "1992" "1991" "1990").ay.) and subsequen\$4
10	35	subsequen\$4 with (os operating software) with (different plurality mutiple) adj (version volumes type software manufacture distributors sources)
11	5	(subsequen\$4 with (os operating software) with (different plurality mutiple) adj (version volumes type software manufacture distributors sources)) and download\$3 and (os operating adj system)
12	1047751	distribut\$3 adj (os operating adj system software) with (plurality different client user machines nodes) or (sequent\$4 subsequen\$4)

	Hits	Search Text
13	489	distribut\$3 adj (os operating adj system software) with (plurality different client user machines nodes) or (sequent\$4 subsequent\$4) with (replac\$3 updat\$3 swap\$4) adj3 (volume version copy)
14	304	distribut\$3 adj (os operating adj system software) with (plurality different client user machines nodes) or (sequent\$4 subsequent\$4) with (replac\$3 updat\$3 swap\$4) adj3 (volume version copy) with configur\$6
15	11479	client same server
16	1021	709/221
17	21	(distribut\$3 adj (os operating adj system software) with (plurality different client user machines nodes) or (sequent\$4 subsequent\$4) with (replac\$3 updat\$3 swap\$4) adj3 (volume version copy) with configur\$6) and (client same server) and 709/221
18	69	net\$4 adj boot\$3 netboot\$3
19	64	(net\$4 adj boot\$3 netboot\$3) and (os operating adj system software)
20	20	((net\$4 adj boot\$3 netboot\$3) and (os operating adj system software)) and download\$3 with (os operating adj system)
21	22	((net\$4 adj boot\$3 netboot\$3) and (os operating adj system software)) and (distribut\$3 download\$3) with (os operating adj system)

	Hits	Search Text
1	1956	(os operating adj system) with boot\$3
2	722340	(volumes partition disk subsystem node device unit) near3 (different plurality multiple "more" two)
3	6458	(volumes partition disk subsystem node device unit) near3 (different plurality multiple "more" two) with replac\$3
4	27	((os operating adj system) with boot\$3) and ((volumes partition disk subsystem node device unit) near3 (different plurality multiple "more" two) with replac\$3)
5	4453	replac\$3 near5 volumes
6	0	((os operating adj system) with boot\$3) and ((volumes partition disk subsystem node device unit) near3 (different plurality multiple "more" two) with replac\$3)) and (replac\$3 near5 volumes)
7	16	replac\$3 near5 different adj volumes
8	8	boot\$5 with replac\$3 with volumes

	L #	Hits	Search Text
1	L1	28816	(restart\$3 initia\$4 boot\$3 reboot\$3) with volume
2	L2	173	(restart\$3 initia\$4 boot\$3 reboot\$3) with (replac\$3 different new next other) adj3 volume
3	L3	61	2 and (lan wan web internet network server host)
4	L4	39	3 and ("1999" "1998" "1997" "1996" "1995" "1994" "1993" "1992" "1991" "1990").ay.
5	L5	96	(restart\$3 initia\$4 boot\$3 reboot\$3) adj20 (replac\$3 swap\$5 different new next "other" "another") adj3 volume
6	L6	31	(restart\$3 initia\$4 boot\$3 reboot\$3) adj20 (replac\$3 swap\$5 different new next "other" "another") adj3 volumes
7	L7	23	6 and (os operating system)
8	L8	29973	(replac\$3 swap\$4) near3 (os operating system volume)
9	L9	1011	((replac\$3 swap\$4) near3 (os operating system volume)).ab.
10	L10	39	subsequen\$4 near reboot\$3
11	L11	5	(8 9) and 10

	L #	Hits	Search Text
1	L1	646	server same (automatic\$4 dynamic\$4) same (boot\$9 reboot\$9 download\$3) same client
2	L2	302	server with (automatic\$4 dynamic\$4) same (boot\$9 reboot\$9 download\$3) with client
3	L3	70	server with (automatic\$4 dynamic\$4) same (boot\$9 reboot\$9 download\$3) with (os software operating adj system) with client
4	L4	115099	(different\$3 current\$2 updated modified) with (version volume operating adj system)
5	L5	31	3 and 4
6	L6	9	3 same 4
7	L7	6	server with (version volume operating adj system software) with (os software operating adj system) with client with (boot\$9 reboot\$9 download\$3 restart\$3 re adj initia\$4) with (automatic\$4 dynamic\$4) same (different\$3 current\$2 updated modified chang\$3)
8	L8	187	server with (version volume operating adj system software) with (different\$3 current\$2 updated modified chang\$3) and (user client) with (boot\$9 reboot\$9 download\$3 restart\$3 re adj (start\$3 initia\$4 load\$3)) with (automatic\$4 dynamic\$4)
9	L9	15	server with (version volume operating adj system software) near5 (different\$3 current\$2 plurality second multiple first) with (updated modified chang\$3) and (user client) with (boot\$9 reboot\$9 download\$3 restart\$3 re adj (start\$3 initia\$4 load\$3)) with (automatic\$4 dynamic\$4)
10	L10	3	server with (version volume operating adj system software) near5 (different\$3 current\$2 plurality second multiple first) with (updated modified chang\$3) and (user client customer subscriber) with (boot\$9 reboot\$9 restart\$3 re adj (start\$3 initia\$4 load\$3)) with (automatic\$4 dynamic\$4)
11	L11	14	server with (version volume operating adj system software) near5 (different\$3 current\$2 updat\$3 upgrad\$3 new addition\$2 plurality second multiple first) with (updated modified chang\$3) and (user client customer subscriber remote\$2) with (boot\$9 reboot\$9 restart\$3 re adj (start\$3 initia\$4 load\$3)) with (automatic\$4 dynamic\$4)
12	L12	116535	(updated modified chang\$3) with (version volume OS operating adj system)
13	L13	3003	(updated modified chang\$3) with (version volume OS operating adj system) with (automatic\$4 dynamic\$4)
14	L14	150	(updated modified chang\$3) with (version volume OS operating adj system) with (automatic\$4 dynamic\$4).ab.

	L #	Hits	Search Text
15	L15	1130	server same (user client customer subscriber remote\$2) with (boot\$9 reboot\$9 restart\$3 re adj (start\$3 initia\$4 load\$3))
16	L16	1	14 and 15

	Hits	Search Text
1	168	server same (boot\$3 bootstrap\$4) same standard
2	82	server same (boot\$3 bootstrap\$4) same standard same (volum\$2 os software operating adj system)
3	82	(server same (boot\$3 bootstrap\$4) same standard same (volum\$2 os software operating adj system)) not (apple).as.
4	69	((server same (boot\$3 bootstrap\$4) same standard same (volum\$2 os software operating adj system)) not (apple).as.) not ("2000" "2002" "2001" "2003" "2004").ay.
5	1	((server same (boot\$3 bootstrap\$4) same standard same (volum\$2 os software operating adj system)) not (apple).as.) not ("2000" "2002" "2001" "2003" "2004").ay.) and first adj2 (volume version os operating adj system) and second adj2 (volume version os operating adj system)
6	632	server same (boot\$3 bootstrap\$4) same (client user customer subscriber manager operator administrator) same (volum\$2 os software operating adj system)
7	24	(server same (boot\$3 bootstrap\$4) same (client user customer subscriber manager operator administrator) same (volum\$2 os software operating adj system)) and first adj2 (volume version os operating adj system) and second adj2 (volume version os operating adj system)
8	23	((server same (boot\$3 bootstrap\$4) same (client user customer subscriber manager operator administrator) same (volum\$2 os software operating adj system)) and first adj2 (volume version os operating adj system) and second adj2 (volume version os operating adj system)) not ("2000" "2002" "2001" "2003" "2004").ay.
9	2	(server same (boot\$3 bootstrap\$4) same (client user customer subscriber manager operator administrator) same (volum\$2 os software operating adj system)) and server with first adj2 (volume version os operating adj system) with second adj2 (volume version os operating adj system)
10	28890	first adj3 (client node station terminal device unit component module) same caus\$3 wsame (second other plurality multiple) adj3 (client node station terminal device unit component module) same (boot\$3 bootstrap\$4)
11	27759	first adj3 (client node station terminal device unit component module) same caus\$3 wsame (second other plurality multiple) adj3 (client node station terminal device unit component module) same (boot\$3 bootstrap\$4) same server

	Hits	Search Text
12	200	(first adj3 (client node station terminal device unit component module) same caus\$3 wsame (second other plurality multiple) adj3 (client node station terminal device unit component module) same (boot\$3 bootstrap\$4) same server) and first adj2 (volume version os operating adj system) and second adj2 (volume version os operating adj system)
13	3	(first adj3 (client node station terminal device unit component module) same caus\$3 wsame (second other plurality multiple) adj3 (client node station terminal device unit component module) same (boot\$3 bootstrap\$4) same server) and server with first adj2 (volume version os operating adj system) with second adj2 (volume version os operating adj system)
14	1406	server with (different\$2 plurality mu,tiple two first with second) with (volume version os operating adj system)
15	42	(server with (different\$2 plurality mu,tiple two first with second) with (volume version os operating adj system)) and (boot\$9) with (replac\$3 updat\$3 modif\$4 upgrad\$3)
16	0	((server with (different\$2 plurality mu,tiple two first with second) with (volume version os operating adj system)) and (boot\$9) with (replac\$3 updat\$3 modif\$4 upgrad\$3)) and first with caus\$3 with server with (different\$2 plurality mu,tiple two other)
17	1	((server with (different\$2 plurality mu,tiple two first with second) with (volume version os operating adj system)) and (boot\$9) with (replac\$3 updat\$3 modif\$4 upgrad\$3)) and first with caus\$3 with (different\$2 plurality mu,tiple two other)
18	1	((server with (different\$2 plurality mu,tiple two first with second) with (volume version os operating adj system)) and (boot\$9) with (replac\$3 updat\$3 modif\$4 upgrad\$3)) and narin.in.
19	2	((server with (different\$2 plurality mu,tiple two first with second) with (volume version os operating adj system)) and (boot\$9) with (replac\$3 updat\$3 modif\$4 upgrad\$3)) and first with caus\$3 with server
20	183460	(current\$2 exist\$3) same (replac\$3 updat\$3 modif\$3)

	Hits	Search Text
21	28	((server with (different\$2 plurality mu,tiple two first with second) with (volume version os operating adj system)) and (boot\$9) with (replac\$3 updat\$3 modif\$4 upgrad\$3)) and ((current\$2 exist\$3) same (replac\$3 updat\$3 modif\$3))
22	1	((server with (different\$2 plurality mu,tiple two first with second) with (volume version os operating adj system)) and (boot\$9) with (replac\$3 updat\$3 modif\$4 upgrad\$3)) and first same caus\$3 same subsequen\$3
23	6	((server with (different\$2 plurality mu,tiple two first with second) with (volume version os operating adj system)) and (boot\$9) with (replac\$3 updat\$3 modif\$4 upgrad\$3)) and first same caus\$3 and subsequen\$3
24	1	((server with (different\$2 plurality mu,tiple two first with second) with (volume version os operating adj system)) and (boot\$9) with (replac\$3 updat\$3 modif\$4 upgrad\$3)) and first adj3 (cleint user subscriber customer node terminal station device unit component elenemt) with (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipulats\$3 caus\$3 nitiat\$4 stimulat\$3 trigger\$3 instruct\$3) with (other plurality group subnet\$7 differnet\$2 server lan ethernet)
25	4	((server with (different\$2 plurality mu,tiple two first with second) with (volume version os operating adj system)) and (boot\$9) with (replac\$3 updat\$3 modif\$4 upgrad\$3)) and first adj3 (client user subscriber customer node terminal station device unit component elenemt) with (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipulats\$3 caus\$3 nitiat\$4 stimulat\$3 trigger\$3 instruct\$3) with (other plurality group subnet\$7 differnet\$2 server lan ethernet)
26	67692	(first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operatoer controller agnet) with (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipulats\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 repalc\$3 updat\$3 updagrad\$3 edit\$3 custoimiz\$5) with (other plurality group subnet\$7 differnet\$2 server lan ethernet)
27	1755	server with (different\$2 plurality multiple two first with second) with (volume version os operating adj system)

	Hits	Search Text
28	400	(first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) with (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipul\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 replac\$3 updat\$3 updagrad\$3 edit\$3 customiz\$5 command\$3 select\$4) with server near5 (volume version os operating adj system)
29	136	((first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operatoer controller agnet) with (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipul\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 repalc\$3 updat\$3 updagrad\$3 edit\$3 custoimiz\$5) with (other plurality group subnet\$7 differnet\$2 server lan ethernet)) and (server with (different\$2 plurality multiple two first with second) with (volume version os operating adj system)) and ((first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) with (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipul\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 replac\$3 updat\$3 updagrad\$3 edit\$3 customiz\$5 command\$3 select\$4) with server near5 (volume version os operating adj system))
30	68	((first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operatoer controller agnet) with (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipul\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 repalc\$3 updat\$3 updagrad\$3 edit\$3 custoimiz\$5) with (other plurality group subnet\$7 differnet\$2 server lan ethernet)) and (server with (different\$2 plurality multiple two first with second) with (volume version os operating adj system)) and ((first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) with (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipul\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 replac\$3 updat\$3 updagrad\$3 edit\$3 customiz\$5 command\$3 select\$4) with server near5 (volume version os operating adj system))) and ((current\$2 exist\$3) same (replac\$3 updat\$3 modif\$3))

	Hits	Search Text
31	2	((((first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operatoer controller agnet) with (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipulat\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 repalc\$3 updat\$3 updagrad\$3 edit\$3 custoimiz\$5) with (other plurality group subnet\$7 differnet\$2 server lan ethernet)) and (server with (different\$2 plurality multiple two first with second) with (volume version os operating adj system)) and ((first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) with (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipulat\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 replac\$3 updat\$3 updagrad\$3 edit\$3 customiz\$5 command\$3 select\$4) with server near5 (volume version os operating adj system))) and ((current\$2 exist\$3) same (replac\$3 updat\$3 modif\$3))) and (boot\$9) with (replac\$3 updat\$3 modif\$4 upgrad\$3))
32	36	(first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) adj20 (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipulat\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 replac\$3 updat\$3 updagrad\$3 edit\$3 customiz\$5 command\$3 select\$4) with server near5 (volume version os operating adj system) with (plurality multiple different\$2 first with second)
33	4	((((first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) adj20 (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipulat\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 replac\$3 updat\$3 updagrad\$3 edit\$3 customiz\$5 command\$3 select\$4) with server near5 (volume version os operating adj system) with (plurality multiple different\$2 first with second)) and ((current\$2 exist\$3) same (replac\$3 updat\$3 modif\$3))) and first same caus\$3 and subsequen\$3

	Hits	Search Text
34	25	((first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) adj20 (control\$4 manag\$4 creat\$3 genarat\$3 execut\$4 manipul\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 replac\$3 updat\$3 updagrad\$3 edit\$3 customiz\$5 command\$3 select\$4) with server near5 (volume version os operating adj system) with (plurality multiple different\$2 first with second)) and ((current\$2 exist\$3) same (replac\$3 updat\$3 modif\$3))
35	249	(first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) adj20 (control\$4 manag\$4 creat\$3 generat\$3 execut\$4 manipul\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 replac\$3 updat\$3 upgrad\$3 edit\$3 customiz\$5 command\$3 select\$4) with server near5 (volume version os operating adj system)
36	100	(server with (different\$2 plurality multiple two first with second) with (volume version os operating adj system)) and ((first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) adj20 (control\$4 manag\$4 creat\$3 generat\$3 execut\$4 manipul\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 replac\$3 updat\$3 upgrad\$3 edit\$3 customiz\$5 command\$3 select\$4) with server near5 (volume version os operating adj system))
37	55	(first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) adj20 (replac\$3 updat\$3 upgrad\$3 customiz\$5 select\$4) with server near5 (volume version os operating adj system)

	Hits	Search Text
38	27	((server with (different\$2 plurality multiple two first with second) with (volume version os operating adj system)) and ((first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) adj20 (control\$4 manag\$4 creat\$3 generat\$3 execut\$4 manipul\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 replac\$3 updat\$3 upgrad\$3 edit\$3 customiz\$5 command\$3 select\$4) with server near5 (volume version os operating adj system))) and ((first adj3 (client user subscriber customer node terminal station device unit component elenemt) administrat\$3 operat\$2 controller agent) adj20 (replac\$3 updat\$3 upgrad\$3 customiz\$5 select\$4) with server near5 (volume version os operating adj system))
39	8	(first adj3 (client user subscriber customer node terminal station device unit component elenemt)) adj30 (control\$4 manag\$4 creat\$3 generat\$3 execut\$4 manipul\$3 caus\$3 initiat\$4 stimulat\$3 trigger\$3 instruct\$3 replac\$3 updat\$3 upgrad\$3 edit\$3 customiz\$5 command\$3 select\$4) adj30 server near5 (volume version os operating adj system)
40	16	first adj2 (station device unit client node) adj10 (chang\$3 replac\$3 modif\$4 updaT\$3) with server near3 (os operating software volume version)
41	4	(first adj2 (station device unit client node) adj10 (chang\$3 replac\$3 modif\$4 updaT\$3) with server near3 (os operating software volume version)) and (server with (different\$2 plurality multiple two first with second) with (volume version os operating adj system))

	Hits	Search Text
1	143305	(operating adj system OS software) with (select\$4 menu choice first second)
2	72642	(operating adj system OS software) near5 (select\$4 menu choice first second)
3	5726	first adj3 (operating adj system OS software) and second adj3 (operating adj system OS software) and ((operating adj system OS software) near5 (select\$4 menu choice first second))
4	188	first adj3 (operating adj system OS software) with second adj3 (operating adj system OS software) same (host server)
5	188	(first adj3 (operating adj system OS software) and second adj3 (operating adj system OS software) and ((operating adj system OS software) near5 (select\$4 menu choice first second))) and (first adj3 (operating adj system OS software) with second adj3 (operating adj system OS software) same (host server))
6	1	(first adj3 (operating adj system OS software) and second adj3 (operating adj system OS software) and ((operating adj system OS software) near5 (select\$4 menu choice first second))) and (first adj3 (operating adj system OS software) with second adj3 (operating adj system OS software) same (host server)) and creat\$3 adj5 volume
7	3	first adj3 (operating adj system OS software) with second adj3 (operating adj system OS software) same (host server) same boot\$4
8	13	first adj3 (operating adj system OS software) with second adj3 (operating adj system OS software) same (host server) same (reboot\$4 restart\$3 initiat\$4 boot\$4)

	Hits	Search Text
1	387	server same client same boot\$4
2	29	server same client same boot\$4 same (volum\$2 version)
3	25238	first adj3 (operating os volum\$2 version) and second adj3 (operating os volum\$2 version)
4	2	(server same client same boot\$4 same (volum\$2 version)) and (first adj3 (operating os volum\$2 version) and second adj3 (operating os volum\$2 version))

	L #	Hits	Search Text
1	L1	168	server same (boot\$3 bootstrap\$4) same standard
2	L2	82	server same (boot\$3 bootstrap\$4) same standard same (volum\$2 os software operating adj system)
3	L3	82	2 not (apple).as.
4	L4	69	3 not ("2000" "2002" "2001" "2003" "2004").ay.
5	L5	1	4 and first adj2 (volume version os operating adj system) and second adj2 (volume version os operating adj system)
6	L6	632	server same (boot\$3 bootstrap\$4) same (client user customer subscriber manager operator administrator) same (volum\$2 os software operating adj system)
7	L7	24	6 and first adj2 (volume version os operating adj system) and second adj2 (volume version os operating adj system)
8	L8	23	7 not ("2000" "2002" "2001" "2003" "2004").ay.
9	L9	2	6 and server with first adj2 (volume version os operating adj system) with second adj2 (volume version os operating adj system)
10	L10	28890	first adj3 (client node station terminal device unit component module) same caus\$3 wsame (second other plurality multiple) adj3 (client node station terminal device unit component module) same (boot\$3 bootstrap\$4)
11	L11	27759	first adj3 (client node station terminal device unit component module) same caus\$3 wsame (second other plurality multiple) adj3 (client node station terminal device unit component module) same (boot\$3 bootstrap\$4) same server
12	L12	200	11 and first adj2 (volume version os operating adj system) and second adj2 (volume version os operating adj system)
13	L13	3	11 and server with first adj2 (volume version os operating adj system) with second adj2 (volume version os operating adj system)

	Hits	Search Text
1	80494	(first primary)same second\$3 same (os operating adj system software kernel)
2	24456	(dual double two parallel) adj5 (os operating adj system software kernel)
3	7692	(modified alternat\$3) adj5 (os operating adj system software kernel)
4	743	((first primary)same second\$3 same (os operating adj system software kernel)) and ((dual double two parallel) adj5 (os operating adj system software kernel)) and ((modified alternat\$3) adj5 (os operating adj system software kernel))
5	180	((first primary)same second\$3 same (os operating adj system software kernel)) and ((dual double two parallel) adj5 (os operating adj system software kernel)) and ((modified alternat\$3) adj5 (os operating adj system software kernel)) and server
6	2	((first primary)same second\$3 same (os operating adj system software kernel)) and ((dual double two parallel) adj5 (os operating adj system software kernel)) and ((modified alternat\$3) adj5 (os operating adj system software kernel)) and server) and working adj copy
7	6695	(first primary)same second\$3 with (volume set copy) same (os operating adj system software kernel)
8	52	((first primary)same second\$3 same (os operating adj system software kernel)) and ((dual double two parallel) adj5 (os operating adj system software kernel)) and ((modified alternat\$3) adj5 (os operating adj system software kernel)) and server) and ((first primary)same second\$3 with (volume set copy) same (os operating adj system software kernel))
9	6582	(first primary)same second\$3 with (volume set copy) same (os operating adj system software)

	Hits	Search Text
10	49	((((first primary)same second\$3 same (os operating adj system software kernel)) and ((dual double two parallel) adj5 (os operating adj system software kernel)) and ((modified alternat\$3) adj5 (os operating adj system software kernel)) and server) and ((first primary)same second\$3 with (volume set copy) same (os operating adj system software kernel))) and ((first primary)same second\$3 with (volume set copy) same (os operating adj system software))
11	49	((((((first primary)same second\$3 same (os operating adj system software kernel)) and ((dual double two parallel) adj5 (os operating adj system software kernel)) and ((modified alternat\$3) adj5 (os operating adj system software kernel)) and server) and ((first primary)same second\$3 with (volume set copy) same (os operating adj system software kernel))) and ((first primary)same second\$3 with (volume set copy) same (os operating adj system software))) and (boot\$3 initia\$4 start\$3 restart\$3)

	L #	Hits	Search Text	DBs	Time Stamp
1	L4	478	(identif\$4 select\$3) with index\$3 near3 database	USPAT	2003/03/05 14:02
2	L5	10	4 and proxy\$3	USPAT	2003/03/05 14:02